

NCCN TESTICULAR CANCER GUIDELINES



[nccn testicular cancer guidelines pdf](#)

The National Comprehensive Cancer Network (NCCN), a not-for-profit alliance of leading cancer centers devoted to patient care, research, and education, is dedicated to improving the quality, effectiveness, and efficiency of cancer care so that patients can live better lives.

[NCCN - Evidence-Based Cancer Guidelines, Oncology Drug](#)

The NCCN Guidelines Panel for Cervical Cancer Screening endorses the following guidelines: For the prevention and early detection of cervical cancer: American Cancer Society, American Society for Colposcopy and Cervical Pathology, and American Society for Clinical Pathology screening guidelines for the prevention and early detection of cervical cancer.

[NCCN Clinical Practice Guidelines in Oncology](#)

Chemotherapy (chemo) is the use of drugs to treat cancer. The drugs can be swallowed in pill form, or they can be injected by needle into a vein or muscle. To treat testicular cancer, the drugs are usually given into a vein (IV). Chemo is systemic therapy. This means that the drug travels ...

[Chemotherapy for Testicular Cancer | American Cancer Society](#)

Testicular cancer is usually found as a result of symptoms that a person is having. It can also be found when tests are done for another condition. The next step is an exam by a doctor. The doctor will feel the testicles for swelling or tenderness and for the size and location of any lumps. The ...

[Testicular Cancer Diagnosis | Testicular Cancer Testing](#)

Cancer staging is the process of determining the extent to which a cancer has developed by growing and spreading. Contemporary practice is to assign a number from I to IV to a cancer, with I being an isolated cancer and IV being a cancer which has spread to the limit of what the assessment measures.

[Cancer staging - Wikipedia](#)

A Seminoma is a germ cell tumor of the testicle or, more rarely, the mediastinum or other extra-gonadal locations. It is a malignant neoplasm and is one of the most treatable and curable cancers, with a survival rate above 95% if discovered in early stages.

[Seminoma - Wikipedia](#)

Screen to Save. The NCI Center to Reduce Cancer Health Disparities launched the Screen to Save initiative to increase colorectal cancer screening rates among people age 50 and older from diverse communities.

[Comprehensive Cancer Information - National Cancer Institute](#)

The Prostate Cancer (PCa) Guidelines Panel have prepared this guidelines document to assist medical professionals in the evidence-based management of PCa.

[Prostate Cancer | Uroweb](#)

Surgery is the only curative modality for localized colon cancer (stage I-III). Surgical resection potentially provides the only curative option for patients with limited metastatic disease in liver and/or lung (stage IV disease), but the proper use of elective colon resections in nonobstructed patients with stage IV disease is a source of continuing debate.

[Colon Cancer Treatment & Management: Approach](#)

Voicing patient perspectives and providing evidence-based education, support, and links to clinical trials specific to lymphoma.

[Patients Against Lymphoma - Lymphomation.org](#)

Tumor markers often have more than one purpose and may be associated with more than one type of cancer. This table lists examples of tumor markers found on this web site and their different uses.

Tumor Markers - Lab Tests Online

Samson DJ, Ratko TA, Rothenberg BM, et al. Comparative effectiveness and safety of radiation therapy treatments for head and neck cancer. Comparative Effectiveness Review No. 20.

Proton Beam and Neutron Beam Radiotherapy - Medical

Breast cancer ranks as one of the leading cancer types in the number of new cases diagnosed and is second only to lung cancer as the the most prevalent cause of cancer death in women.

Breast Cancer | CancerQuest

Continuous advances have provided a new understanding of the diagnosis, staging, and treatment of metastatic and advanced prostate cancer. The earlier definition of advanced disease (bone metastasis and soft-tissue involvement) has also been improved.

Metastatic and Advanced Prostate Cancer: Overview

eviQ Education Learning resources for cancer staff Cancer Institute NSW NSW cancer control agency Patient Information

1142-Skin cancer non melanoma Merkel cell carcinoma

eviQ Education Learning resources for cancer staff Cancer Institute NSW NSW cancer control agency Patient Information

1033-Skin cancer non melanoma scc high risk adjuvant EBRT

Myelodysplastic Syndromes (MDS) By The Numbers. Myelodysplastic syndromes (MDS) are an often unrecognized, under-diagnosed rare group of bone marrow failure disorders, where the body no longer makes enough healthy, normal blood cells in the bone marrow.

What is MDS ? | MDS Foundation

Diabetes is the seventh leading cause of death in the United States. The Centers for Disease Control and Prevention (CDC) estimates that 30.2 million people age 18 and older, or 12.2% of all people in this age group, have diagnosed or undiagnosed diabetes.

Screening Tests for Adults (50 and Up)

Lumbar puncture if involvement in following sites: paranasal sinus, testicular, epidural, bone marrow with large cell lymphoma,

Diffuse Large B-Cell Lymphomas - Lymphomation.org

Outcomes of the CUSTOM 'Basket' Trial of Molecular Profiling and Targeted Therapy in Advanced Thoracic Malignancies. In the phase II CUSTOM trial reported in the Journal of Clinical Oncology, Ariel Lopez-Chavez, MD, Anish Thomas, MD, and colleagues performed molecular profiling of tumors in patients with advanced non-small cell lung cancer (NSCLC), small cell lung cancer (SCLC), or ...

The Basket Trial: An Evolving Clinical Trial Design - The

Learn how UpToDate can help you. Select the option that best describes you